


Valve
Actuation

Steam

Instruments

Hot Water

Industrial
PVF




**YOUR MOST
VALUABLE PARTNER**

**FOR VICTAULIC
SPECIALTY
PRODUCTS**

PipeValves
Since 1963

www.PipeValves.com
800.467.7122

Warning: Do not use this literature in place of reading, understanding, and following the manufacturer's spec sheets and operator's manual instructions which are available on their website.



Quick-Vic Small Diameter

Size Range:

- Available in sizes 1/2" to 2"

Materials:

- For use on Schedules 10 – 80 carbon steel pipe
- Pressures up to 300 psi
Up to +250°F with EPDM gasket

Information:

- Victaulic's new QuickVic™ SD Installation-Ready™ System is an innovative plain-end pipe-joining technology designed for use on carbon steel piping systems
- It offers a significant total installed cost savings when compared to current pipe materials and installation methods used, including carbon steel thread and copper press or sweat.
- Includes patented "Leak-If-Not-Tightened" technology (at initial installation)



TA Series 78BL Balancing Valve

Size Range:

- Available in sizes 1/2" to 2"

Materials:

- Lead-free brass
- EPDM O-Rings for service with propylene and thylene glycol mixtures
- Ball & Stem: Stainless steel

Information:

- Pressures up to 400 psi
- Shut-off, manual throttling and measuring valve with reduced port
- IAPMO certified
- Rated from -4 degrees F to 248 degrees F



Manual Y-Patterned Balancing Valve

Information:

- "Y" patterned globe valve
- Heating and cooling systems; not steam
- Rated from -4°F to +250°F

TA Series 786 Solder End (photo shown)

- Sizes: 1/2" to 2"
- Pressure: 300 psi
- Digital hand wheel with 4 turns to open; Includes memory stop

Materials:

- Brass Alloy
- EPDM O-Rings

TA Series 787H Female Threaded End and Series 78KH Male NPT Union x FEM NPT

- Sizes: 1/2" – 2"
- Pressure: 400 psi
- Digital hand wheel with 4 turns to open; Includes memory stop

Materials:

- Brass Alloy
- EPDM O-Rings

TA Series 788 Flanged End

- Sizes: 2 1/2" to 16"
- Pressure: 250 psi
- Digital hand wheel with 8, 12 or 16 turns to open (depending on size); Includes memory stop

Materials:

- Body & Seat: Ductile Iron
- Seals: EPDM

TA Series 789 Grooved End

- Sizes: 2 1/2" to 12"
- Pressure: 350 psi
- Digital hand wheel with 8, 12 or 16 turns to open (depending on size); Includes memory stop

Materials:

- Body & Seat: Ductile Iron
- Seals: EPDM



Inlet Vibration Isolation Pump Drops

Size Range:

- Available in sizes 3" to 12"

Information:

- Includes flow control, vibration-controlling flexible couplings, access ports for gauges and thermowells, and an integral flanged pump connection
- Sizes from 3 – 12" | DN80 – DN300
- Series 381 – Class 150 flange connection; Provided with a suction diffuser
- Series 381G – Original Groove System (OGS) connection; Provided with a suction diffuser
- Series 382 – Class 150 flange connection; Provided with a wye-type strainer
- Series 382G – OGS connection; Provided with a wye-type strainer
- Rated to the working pressure of the flange connection up to a maximum of 300 psi



Outlet Vibration Isolation Pump Drops

Size Range:

- Available in sizes 3" to 12"












Information:

- Includes flow control, vibration-controlling flexible couplings, access ports for gauges and thermowells, and an integral flanged pump connection
- Sizes from 3 – 12" | DN80 – DN300
- Series 380 – Class 150 flange connection; Provided with a butterfly valve
- Series 380G – Original Groove System (OGS) connection; Provided with a suction diffuser
- Series 383 – Class 150 flange connection; Provided with a manual balancing valve
- Series 383G – OGS connection; Provided with a manual balancing valve
- Rated to the working pressure of the flange connection up to a maximum of 300 psi



Valuable Services

Pipe Valves offers the quality products and the best services to improve your bottom-line performance.

-  Pipe Shop: We cut, bevel, groove, and thread
-  Energy audits, steam trap surveys, live steam lab demonstrations
-  Daily local truck routes, emergency delivery options
-  Phone, counter, email, fax and e-commerce ordering options
-  Express sales counter pickup and tool rental
-  Vendor Managed Inventory options customized to your needs
-  Product specialists and staff engineers assist with problem solving
-  Kitting Services - we can bag and tag to your specifications
-  Bin management, bar code scanning and labeling solutions available
-  PV University Classes, Where Seeing Is Believing: Actuation, Valves, Steam
-  24/7 emergency service available in many areas

800.467.7122



www.PipeValves.com

Warning: Do not use this literature in place of reading, understanding, and following the manufacturer's spec sheets and operator's manual instructions which are available on their website.