

Industrial PVF

PIPE & TUBE

PV Line Cards:

- Actuation & Controls
- Commercial Plumbing & HVAC/R Corrosive Fluid PVF Solutions
- Industrial PVF
- Instrumentation & Controllers
- Sanitary Process Division
- Steam, Hot Water, Humidification

Aguatherm

PP-RCT

NEW!

NEW!

Carbon Steel Pipe (Black or Galvanized)

Continuous Weld (CW) ANSI A53-Grade A

- •Size (NPS): 1/8" Through 4"
- •Weight: Standard (STD) Or Extra Heavy (XH) •Ends: Plain End (PE), Threaded & Coupled (T&C), Grooved
- Electric Resistance Weld (ERW) ANSI A53-B •Size (NPS): 2" Through 8"
- •Weight: Standard (STD)
- •Ends: Plain End (PE) Or Grooved
- Seamless (SMLS) ANSI A106 & A106-B Black Size (NPS): 1/4" Through 12"
- •Weight: Standard (STD) Or Extra Heavy (XH)
- •Ends: Plain End (PE)



Stainless Steel Pipe

- Welded •AISI Grade: 304, 304L, 316, 316L
- •Schedule: 10, 40
- •Size (NPS): 1/4" Through 12"
- Ends: Plain End (PE)

Seamless

- •AISI Grade: 304 •Schedule: 80
- Size (NPS): 1/2" through 2"
- •Ends: Plain End (PE)

Stainless Steel Pressure Tube

•Welded



- •AISI Grade: 304, 316 •Wall: .035" & .049" •Size (NPS): 1/4" Through 3/4" Seamless •AISI Grade: 304, 316 •Wall: .035" & .049"
- •Size (NPS): 1/4" Through 1/2"

Copper Tube

- Straight Copper Tube
- •Type L Hard Copper Tube •Nominal Sizes: 1/4" To 4"
- •Type K Hard Copper Tube
- •Nominal Sizes: 1/4" To 2"
- **Refrigeration Coils**
- •Size: 1/8" To 3/4" O.D. In Stock Length: 50'



• PVC Pipe

- •Schedule 80
- •Size: 1/4" Through 12"
- •CPVC Pipe
- Schedule 80



- Fiberglass-Reinforced Plastic (FRP) Pipe
- Filament Wound FRP Pipe Up To 20', 1" Through 30"
- Continuous Cast FRP Pipe Up To 50', 1" Through 8"
- Fluoropolymer-Lined FRP Pipe, 1" Through 72"
- PTFE-lined Pipe
 - Carbon Steel Or Stainless Steel Pipe, 1" Through 42"
 - Ptfe-lined Structural Composite Pipe, 1" Through 8"



Sanitary Stainless Tube

- •ASTM-A270 Polished #7 20Ra/32Ra Sanitary Tube, Grade: 304L & 316L, Size: 1/2"-6"
- •ASTM-A269 Unpolished (Bright Annealed) Tube, Grade: 304L & 316L
- •ASME BPE Compliant Tube, Grade: 316L, Size: 1/2" - 4"

Aluminum Pipe

•Aluminum Blue Pipe for Compressed Air • •Aluminum Grey Pipe for Vacuum •Aluminum Green Pipe for Nitrogen

Pipe Shop Services

- Cutting: 1/4" to 16" Carbon Steel, Stainless, Copper, Plastic Pipe Or Tube
 - •Threading: 1/8" to 6" Carbon Steel, Stainless Sch. 40 & 80 Pipe
 - Roll Grooving: Original Groove System (OGS)
 - •2" to 16" Carbon Steel, Stainless Sch 40 & 80 Pipe (14"&16" OGS Or AGS)
 - •2" To 6" Stainless Sch 5 & 10 Tube
 - •2" To 3" Copper Tube
 - •Beveling: 1" To 24" Steel Pipe
- Pipe Sleeves
 - •Wrapping: Through 8"

Pipe Valves, Inc. • www.PipeValves.com • toll free (800) 467-7122 Owner/Member:

(PV_Line_Card-Industrial PVF_v2023_04 - FINAL_Has 60th Anniv

- •Size: 1/2" Through 8"







Industrial PVF

VALVES

<u>PV Line Cards</u>:

- Actuation & Controls
- Commercial Plumbing & HVAC/R
- Corrosive Fluid PVF Solutions
 Industrial PVF
- Industrial PVF
 Instrumentation & Controllers
- Instrumentation & Controlle
 Sanitary Process Division
- Steam, Hot Water, Humidification

Ball Valves

- •Bronze, Carbon, Stainless, PVC, CPVC, Medical Gas
- •2-pc, 3-pc, Top Entry
- Lockout-Tagout
- •Actuator Ready Direct Mount
- •ANSI 150-2,500lb
- •2-Way And 3-Way
- •Floating And Trunnion, 0.5" 60"
- Ductile Iron Flanged
- •Cast Iron Flanged
- •Ptfe-lined Composite Body
- •Threaded, Flanged, Sweat, Press Ends

Butterfly Valves

- Resilient Seated
- •Lug Or Wafer, SS Body X EPDM Seat, Lever Or Gear
- •Lug Or Wafer, DI Body X EPDM Seat, Direct Mount Square Stem
- Double Offset High Performance • Lug Or Wafer 150# & 300# CS Or SS Body X PTFE Seat
- Metal Seated
- Ptfe-lined Composite Body

Plug Valves

- •1"-8" 150 And 30 ANSI, Lubricated, Threaded Or Flanged
- Eccentric Plug Balancing Valve
- •Fully Lined (PPL, PVDF, PFA, GRPFA)
- Double Block And Bleed
- Replaceable Seats





- •Bronze, Threaded
- Rising Stem Or Non-rising Stem
- •Cast Steel, 150# & 300# Butt Weld
- •Stainless Steel, Flanged Or Threaded •Rising Stem Or Non-rising Stem
- Forged Steel, Threaded Or Socket Weld
- •Forged Steel, 800# Threaded
- •Carbon Steel, 125#, 150# & 250# Flanged
- •All Iron, Flanged

Globe Valves



- •Bronze, 125#, 150#, 200#, 300# Threaded •Bronze Low Lead, 300# CXC
- •Cast Steel, 150# & 300# Flanged
- •Cast Steel, 150# Clanged Raised Face
- •Cast Steel, 300# Butt Weld
- •Forged Steel, 800# Bolted Bonnet Threaded Or Socket Weld
- •Stainless Steel, 200# Threaded



•Center Guided, Spring-assisted

Check Valves

- •Threaded, Wafer, Flanged, Socket-weld
- •Eliminates Water-Hammer
- •Wafer Double Disc, 2"-48"
- •Wafer Double Flange, 2"-48"
- •Wafer Lug Body, 2"-48"
- •Wafer Center Guided Silent, 2"-12"
- •Globe Center Guided Silent, 2'-24"
- Outside Lever & Weight
- Double Door Spring Loaded Checks
- •All Material Types Available



- Knife Gate Valves
- •Wedge Gate, Knife Gate, Slide Gate, 2"-144", ANSI 150
- •Slurry Knife Gate, Throttling, 1"-54", 100PSI CWP-300psi CWP
- Polymer Lined, Knife Gate, Slide Gate, 2"-24"

Specialty Valves

- Backflow Valves
- Balancing Valves
- Boiler Blowdown Valves
- Solenoid Valves

NEW!

NEW!

- •Pressure Reducing
 ves Valves
- Control Valves
 Diaphragm Valves Weir & Straight, Manual & Automated
- Freeze Protection Valves
- Safety Relief Valves
- Sanitary Diaphragm Valves
- Scald Protection Valves

Actuators & Controls



Pneumatic, Electric, Pneumatic With Hydraulic
 Assist

- •Slave linkage
- •Limit Switches
- Namur Mount Solenoid Valves
- Positioners
- Position Monitors, Control Position Monitors
- Damper Drives

Instrumentation

- Gauges
- •Thermometers
- Controllers & Control Valves
- Pressure & Temperature Regulators
- Protection Tubes
- Pressure, DP, & Temperature Transmitters

(PV_Line_Card-Industrial PVF_v2023_04 - FINAL_Has 60th Anniv

- Flow Meters
- Level Transmitters

Pipe Valves, Inc. • <u>www.PipeValves.com</u> • toll free (800) 467-7122 Owner/Member:



Industrial PVF

FITTINGS

PV Line Cards:

- Actuation & Controls
- Commercial Plumbing & HVAC/R
- Corrosive Fluid PVF Solutions
- Industrial PVF
- Instrumentation & Controllers
- Sanitary Process Division
- Steam, Hot Water, Humidification



Grooved Fitting Systems Victaulic Grooved Fitting Systems

- •Couplings Fittings
- Threadolets, Weldolets, Sockolets
- Victaulic Installation-Ready Couplings
 - •607 Rigid Copper 300PSI 2-8"
- •107 Rigid Carbon 580PSI 2-8"
- •177 Flexible Carbon 1,000PSI 2-6"

Plain and Bevel End Fitting Systems

- •Butt Weld Fittings (For Bevel End Pipe) • Carbon Steel And Low Temp.
- •Stainless Steel Sch 10 Or 40, Type 304L Or 316L Grade

Socket Weld Fittings

- •Carbon Steel •Stainless Steel 150 LB Or 3000 LB, Type 304L Or 316L Grade
- Socket Fittings
- PVC Schedule 80
- •CPVC Schedule 80
- •Sweat Fittings: Copper
- •Compression Fittings: 1/8" 3/4" Bronze, CS, SS ●QuickvicTM SD Installation-ReadyTM System For Carbon Steel Sch 10-80 Pipe, Sizes 1/2" To 2"



Press Fitting Systems

- •Viega Propress Copper 1/2" To 4" Tube Size •Viega Propress Stainless 1/2" To 2" Tube Size
- •Viega Megapress Carbon Steel 1/2" To 4" Pipe Size
- •Viega Megapress Stainless Steel 1/2 To 4" Sch 10 & Sch 40 Pipe Size




Threaded Fittings

- •Brass 150 LB Malleable (Black & Galvanized) Fittings •Stainless Fittings: 150 LB Or 3000 LB, Schedule 10 Or 40, Type 304L Or 316L Grade
- Cast Iron Fittings
- PVC Schedule 80
- •CPVC Schedule 80



Flanged Fittings

•125# Black Cast Iron Flanged Fittings 1" to 8" •125# Galvanized Cast Iron Flanged Fittings 2" to 6"



Gaskets, Bolt Packs, & Flange Packs

•Link-Seal - Modular Seals For Wall Penetrations

- •Spiral Wound WR 304 Chlorocarb Gasket In 150# Or 300#
- •Size: 1/2" Through 12"

Hangers & Supports

Clevis Hangers

•All-Thread Rod

•Beam Clamps

•Strut

Channel

Sanitary Hangers

- •Non-Asbestos 150# Gasket In Ring Or Full Face •Size: 2" To 12" X 1/16" Thick, 1/8" Thick
- •Red Rubber 150# Gaskets: Ring Or Full Face •Size: 1" Through 12" X 1/8" Thick
- •Teflon Ring 150#
 - •Size: 1" Through 6" X 1/16" Thick

Fittings



- Pipe Nipples
- Expansion Joints
- Flexible Pump Connector
- Strainers
- •Sight Glass
- Siphon (Pigtail)
- Indicators
 - Quick Disconnect Fittings



Compressed Air, Vacuum, & Nitrogen Systems

- Fittings And Couplings

- Manifolds
- •OSHA Approved Blow Guns
- Hose Reels & Hoses
- Valves
- Clamps



Tools, Equipment, Supplies, Lubricants, Sealants

- Milwaukee Tools And Pipe Related Equipment In Our Columbus Ohio HQ.
- •Hand Tools, PPE Gear, Saw Blades, Anchors, Flashlights, Work Lights, Tarps, Solder, Flux, Brushes, Etc
- •Oatey, Loctite, Blue Magic, Blue Monster, Cutting Oil, Gasoila, Penetraiting Oil, Purple Primer, Marking Paint, Bridgit LF Solder

Pipe Valves, Inc. • www.PipeValves.com • toll free (800) 467-7122 **Owner/Member:**







558

LE B